

elipson® | Prestige Facet **SUB10**

CAISSON DE BASSE 2 VOIES BASS-REFLEX

Le Sub10 garantit
des basses riches et
percutantes

Avec son haut-parleur de 26 cm et son amplification de 250 watts, le Sub 10 offre une restitution en fréquence linéaire entre 27 Hz et 150 Hz.

Son design compact et son évent bass-reflex en font une solution idéale pour compléter votre installation hi-fi ou home-cinéma.

Sa taille plus réduite facilitera son installation dans votre intérieur.

Que ce soit pour écouter de la musique ou pour profiter de vos films préférés, le Sub10 garantit des basses riches et percutantes.



TECHNIQUE

Type

Caisson de basse actif bass-reflex

Phase variable

0° - 180°

Puissance

250 W RMS Classe D

Veille

Automatique

Haut-parleur

Grave : 260 mm

Entrées

Ligne L/R, LFE

Event

Orienté vers le sol

Réponse en fréquence (± 3 dB)

27 Hz - 150 Hz

Filtre subsonique

24 dB - 20 Hz

Fréquence de coupure variable

40 Hz - 150 Hz

DIMENSIONS - POIDS

Dimensions sans socle

L424 x H405 x P469 mm

Poids net

22 kg

PACKAGING

Dimensions packaging

L500 x H565 x P495 mm

Poids brut

24 kg

FINITIONS - CODES PRODUITS

Façade laquée, Caisson MDF, Placage vinyle**Finition**

Noir

SKU

ELIPFSUB10BK

EAN

3700795190531

**Finition**

Blanc

SKU

ELIPFSUB10WT

EAN

3700795190524

**Finition**

Noir - Noyer

SKU

ELIPFSUB10WN

EAN

3700795190548

RÉCOMPENSÉ PAR



elipson® | Prestige Facet **SUB10**

2-WAY BASS-REFLEX SUBWOOFER

the Sub10
guarantees rich,
punchy bass.

With its 10" driver and 250-watt amplification, the Sub 10 offers linear frequency reproduction between 27 Hz and 150 Hz.

Its compact design and bass-reflex port make it an ideal addition to your hi-fi or home-cinema setup.

Its smaller size makes it easy to install in your home.

Whether you're listening to music or enjoying your favorite films, the Sub10 guarantees rich, punchy bass.



TECHNICAL

| | |
|---|---|
| Type Active subwoofer bass-reflex | Adjustable phase 0° - 180° |
| Power 250 W RMS Classe D | Standby mode Auto |
| Drive unit Woofers : 10" | Inputs Stereo line level, LFE |
| Port Down-firing | |
| Frequency response (±3dB) 27 Hz - 150 Hz | |
| Subsonic Filter 24 dB - 20 Hz | |
| Variable cut-off frequency 40 Hz - 150 Hz | |

DIMENSIONS - WEIGHT

| | |
|---|----------------------------|
| Dimensions without base W424 x H405 x D469 mm | Net weight 22 kg |
|---|----------------------------|

PACKAGING

| | |
|--|------------------------------|
| Dimensions packaging W500 x H565 x D495 mm | Gross weight 24 kg |
|--|------------------------------|

FINISHES - PRODUCTS CODES

Lacquered front panel, MDF box, Vinyl veneer

| | | | |
|---|---------------------------------|----------------------------|-----------------------------|
|  | Finish Black | SKU ELIPFSUB10BK | EAN 3700795190531 |
|  | Finish White | SKU ELIPFSUB10WT | EAN 3700795190524 |
|  | Finish Black - walnut | SKU ELIPFSUB10WN | EAN 3700795190548 |

AWARDED BY

