



## CARACTÉRISTIQUES

Type	Enceinte in-wall
Puissance	100W
Haut-parleur	2 voies Medium-grave : cône papier 165 mm, bord caoutchouc Tweeter : dôme soie 25 mm, orientable de 35° à 40° dans toutes les directions
Réponse en fréquence ( $\pm$ 3dB)	68 Hz - 20 kHz
Sensibilité	87 dB/1W/1m
Impédance	8 Ohms
Fréquence de coupure	2950 Hz
Couleur	Blanc (prêt à peindre)

Dimensions	L235 x H320 x P75 mm
Dimensions de découpe	L190 x H277 mm
Poids	1,5 kg

Conditionnement (unité)	Carton brun
Dimensions	L371 x H123 x P264 mm
Poids	2,3 kg

Overbox (carton de 6 unités)	Carton brun
Dimensions	L554 x H387 x P387 mm
Poids net / brut	9,6 kg / 16,8 kg

## RÉFÉRENCES



### ● BLANC

EAN (unité) : 3760221804036  
SKU : ELIINIW6WT

EAN (overbox x6) : 3760221804098

## ENCEINTES IN-CEILING



**IC 4**  
Enceinte encastrable  
plafond



**IC 6**  
Enceinte encastrable  
plafond



**IC 6ST**  
Enceinte encastrable  
plafond



**IC 8**  
Enceinte encastrable  
plafond

## ENCEINTES IN-WALL



**IW 6**  
Enceinte encastrable  
murale



**IW 8**  
Enceinte encastrable  
murale



**IW 14C**  
Enceinte encastrable  
murale

## ACCESSOIRES



**SQ4**  
Grille carrée pour  
enceinte IC4



**SQ6**  
Grille carrée pour  
enceintes IC6 et IC6ST



**SQ8**  
Grille carrée pour  
enceinte IC8



**IW6 Back box**  
Caisson arrière pour  
enceinte IW6



**IW8 Back box**  
Caisson arrière pour  
enceinte IW8



## SPECIFICATIONS

Type	In-wall speaker
Power	100W
Loudspeaker	2-way Mid-bass : 165 mm paper cone, rubber edge Tweeter : 25 mm silk dome, orientation 35° to 40° in all directions
Frequency response (± 3dB)	68 Hz - 20 kHz
Sensitivity	87 dB/1W/1m
Impedance	8 Ohms
Crossover frequency	2950 Hz
Colour	White (ready to paint)

Dimensions	W235 x H320 x D75 mm
Cut-out dimensions	W190 x H277 mm
Weight	1,5 kg

Packaging (unit)	Brown cardboard
Dimensions	W371 x H123 x D264 mm
Weight	2,3 kg

Overbox (6 pcs)	Brown cardboard
Dimensions	W554 x H387 x D387 mm
Net / Gross weight	9,6 kg / 16,8 kg

## REFERENCES



● WHITE

EAN (unit) : 3760221804036  
SKU : ELIINIW6WT

EAN (overbox x6) : 3760221804098

## In-ceiling and in-wall speakers range

### IN-CEILING SPEAKERS



**IC 4**  
In-ceiling speaker



**IC 6**  
In-ceiling speaker



**IC 6ST**  
In-ceiling speaker



**IC 8**  
In-ceiling speaker

### IN-WALL SPEAKERS



**IW 6**  
In-wall speaker



**IW 8**  
In-wall speaker



**IW 14C**  
In-wall speaker

### ACCESSOIRES



**SQ4**  
Square grill  
for IC4 speaker



**SQ6**  
Square grill  
for IC6 and IC6ST speakers



**SQ8**  
Square grill  
for IC8 speaker



**IW6 Back box**  
Back box  
for IW6 speaker



**IW8 Back box**  
Back box  
for IW8 speaker